## Using Your Spiriva® Handihaler®

## **Patient Education Guide**

To make your breathing better, you MUST take your medicine as explained below. Following these instructions puts more of the medicine into your lungs and helps keep your nebulizer clean. This will open up your air passages and help you breathe easier and feel better.



Open the Handihaler<sup>®</sup> by pulling up on the dust cap and then pulling up on the mouthpiece. This will expose the center chamber, where you will put the capsule of medicine.



There are two strips of capsules. Each strip has three capsules. Separate the two strips down the center.



Pull back on the wrapper just enough to get out one capsule. It is important the other capsules stay sealed until just before use.



Place the capsule in the center chamber.



Close the mouthpiece over the capsule until you hear a click.

The American College of Chest Physicians is the leading resource for the improvement of cardiopulmonary health and critical care worldwide. Its mission is to promote the prevention and treatment of diseases of the chest through leadership, education, research, and communication.

This publication's content contains general information, is not intended to be and is not complete, is not medical advice, and does not replace professional medical care and physician advice, which always should be sought for any specific condition. The American College of Chest Physicians and its officers, regents, executive committee, members, and employees specifically disclaim all responsibility for any liability, damages (actual or consequential), loss, or risk, personal or otherwise, based on any legal theory whatsoever, alleged to have been incurred as a result, directly or indirectly, of the use of any of the material herein.





American College of Chest Physicians 3300 Dundee Road, Northbrook, IL 60062 (847) 498-1400 phone (847) 498-5460 fax www.chestnet.org





Press the button on the side of the Handihaler<sup>®</sup> just **ONCE.** This will break the capsule open and release the powder for you to breathe in.



Sit up straight or stand. Breathe out all the way. Make sure you **NEVER BREATHE OUT** into the Handihaler<sup>®</sup>.



Put the mouthpiece of the Handihaler<sup>®</sup> between your lips. Close your lips, and make a tight seal. **BREATHE IN FAST AND DEEP.** You should be able to hear the capsule inside the Handihaler<sup>®</sup> vibrate.



Remove the Handihaler<sup>®</sup> from your mouth, and **HOLD** your breath for 10 seconds. If you cannot hold your breath for 10 seconds, hold your breath as long as you can. To make sure you got all the medicine, repeat steps 7-9.



After you have taken the medicine, pull up on the mouthpiece, and dump capsule in a trash can. Do not touch the capsule. Close the mouthpiece and the dust cap for storage. Wash your hands after using this device.

The American College of Chest Physicians is the leading resource for the improvement of cardiopulmonary health and critical care worldwide. Its mission is to promote the prevention and treatment of diseases of the chest through leadership, education, research, and communication.

This publication's content contains general information, is not intended to be and is not complete, is not medical advice, and does not replace professional medical care and physician advice, which always should be sought for any specific condition. The American College of Chest Physicians and its officers, regents, executive committee, members, and employees specifically disclaim all responsibility for any liability, damages (actual or consequential), loss, or risk, personal or otherwise, based on any legal theory whatsoever, alleged to have been incurred as a result, directly or indirectly, of the use of any of the material herein.